BİRPOM BMACH

STRENGTHEN YOUR POWER
WITH US




SINCE 1990

PRODUCT CATALOGUE

TRUCK MOUNTED SUBMERSIBLE PUMP SERVICE CRANES

WWW.BIRPOM.COM.TR

OVER 35 YEARS OF EXPERIENCE, INNOVATIVE IDEAS



BP 1620 · 20 M BOOM

BP 812 · 14 M BOOM

BP 711 · 11 M BOOM

ABOUT US

BIRPOM SINCE 1990

BİRPOM has been active in the manufacture of deep-well submersible pumps and service cranes since 1990. Founded to meet the need for submersible pumps and service cranes with BİRPOM quality and difference, our company has successfully served many companies, individuals, institutions and organisations with its products over the years, and continues to do so.

Growing and developing every day in Konya in the manufacture of deep-well submersible pumps and service cranes with an approach that keeps pace with today's technology, our company works to offer you, our valued customers, the best service and the best product with its expanding machine park, technical capabilities and expert team.

We use quality materials in our products, add our meticulous workmanship, deliver your product on time and continue to stand by you whatever you need.

MODELS

SUBMERSIBLE PUMP SERVICE CRANES

MODEL	BOOM	HYDRAULIC BOOM	CAPACITY	MOTOR	PAGE
BP 711 A	11 m	2+1	7,000 kg × 2	20 HP	04
BP 711 K	11 m	2+1	7,000 kg × 2	20 HP	05
BP 812 A65	14 m	2+1	8,000 kg × 2	30 HP	06
BP 812 K65	14 m	2+1	8,000 kg × 2	30 HP	07
BP 812 K58	14 m	2+1	8,000 kg × 2	30 HP	08
BP 812 A58	14 m	2+1	8,000 kg × 2	30 HP	09
BP 814 A	14 m	2+1	8,000 kg × 2	30 HP	10
BP 814 K	14 m	2+1	8,000 kg × 2	30 HP	11
BP 1620	20 m	3+1	16,000 kg	30 HP	12
BP 2025	22 m	3+1	20,000 kg	30 HP	13

ON ALL MODELS

- Fold-out outriggers
- 265 bar working pressure
- Electric motor operation
- 360° slewing angle
- Oil cooler
- Remote control (optional)

PUMP MACHINE

BP 711 A

Submersible pump service crane · 11 m boom



11 m	2+1	7,000 kg × 2	20 HP	360°	265 bar
BOOM LENGTH	HYDRAULIC BOOM	LIFTING CAPACITY	ELECTRIC MOTOR	SLEWING ANGLE	WORKING PRESSURE







STANDARD EQUIPMENT

- Fold-out outriggers
- Working pressure 265 bar
- Electric motor operation
- Slewing angle 360°
- Oil cooler

OPTIONAL EQUIPMENT

- Remote control (optional)
- Middle outrigger
- Pulley block

PUMP MACHINE

BP 711 K

Submersible pump service crane · 11 m boom



11 m	2+1	7,000 kg × 2	20 HP	360°	265 bar
BOOM LENGTH	HYDRAULIC BOOM	LIFTING CAPACITY	ELECTRIC MOTOR	SLEWING ANGLE	WORKING PRESSURE







STANDARD EQUIPMENT

- Fold-out outriggers
- Working pressure 265 bar
- Electric motor operation
- Slewing angle 360°
- Oil cooler

OPTIONAL EQUIPMENT

- Remote control (optional)
- Middle outrigger
- Pulley block
- Fold-out rear outriggers

PUMP MACHINE

BP 812 A65

Submersible pump service crane · 14 m boom



14 m
BOOM LENGTH

2+1
HYDRAULIC BOOM

8,000 kg × 2
LIFTING CAPACITY

30 HP
ELECTRIC MOTOR

360 °
SLEWING ANGLE

265 bar
WORKING PRESSURE







STANDARD EQUIPMENT

- Fold-out outriggers
- Working pressure 265 bar
- Electric motor operation
- Slewing angle 360°
- Oil cooler

OPTIONAL EQUIPMENT

- Remote control (optional)
- Middle outrigger
- Pulley block

PUMP MACHINE

BP 812 K65

Submersible pump service crane · 14 m boom



14 m
BOOM LENGTH

2+1
HYDRAULIC BOOM

8,000 kg × 2
LIFTING CAPACITY

30 HP
ELECTRIC MOTOR

360°
SLEWING ANGLE

265 bar
WORKING PRESSURE







STANDARD EQUIPMENT

- Fold-out outriggers
- Working pressure 265 bar
- Electric motor operation
- Slewing angle 360°
- Oil cooler

OPTIONAL EQUIPMENT

- Remote control (optional)
- Middle outrigger
- Pulley block

PUMP MACHINE

BP 812 K58

Submersible pump service crane · 14 m boom



14 m	2+1	8,000 kg × 2	30 HP	360°	265 bar
BOOM LENGTH	HYDRAULIC BOOM	LIFTING CAPACITY	ELECTRIC MOTOR	SLEWING ANGLE	WORKING PRESSURE







STANDARD EQUIPMENT

- Fold-out outriggers
- Working pressure 265 bar
- Electric motor operation
- Slewing angle 360°
- Oil cooler

OPTIONAL EQUIPMENT

- Remote control (optional)
- Middle outrigger
- Pulley block

PUMP MACHINE

BP 812 A58

Submersible pump service crane · 14 m boom



14 m
BOOM LENGTH

2+1
HYDRAULIC BOOM

8,000 kg × 2
LIFTING CAPACITY

30 HP
ELECTRIC MOTOR

360°
SLEWING ANGLE

265 bar
WORKING PRESSURE







STANDARD EQUIPMENT

- Fold-out outriggers
- Working pressure 265 bar
- Electric motor operation
- Slewing angle 360°
- Oil cooler

OPTIONAL EQUIPMENT

- Remote control (optional)
- Middle outrigger
- Pulley block

PUMP MACHINE

BP 814 A

Submersible pump service crane · 14 m boom



14 m	2+1	8,000 kg × 2	30 HP	360°	265 bar
BOOM LENGTH	HYDRAULIC BOOM	LIFTING CAPACITY	ELECTRIC MOTOR	SLEWING ANGLE	WORKING PRESSURE







STANDARD EQUIPMENT

- Fold-out outriggers
- Working pressure 265 bar
- Electric motor operation
- Slewing angle 360°
- Oil cooler

OPTIONAL EQUIPMENT

- Remote control (optional)
- Middle outrigger
- Pulley block

PUMP MACHINE

BP 814 K

Submersible pump service crane · 14 m boom



14 m	2+1	8,000 kg × 2	30 HP	360°	265 bar
BOOM LENGTH	HYDRAULIC BOOM	LIFTING CAPACITY	ELECTRIC MOTOR	SLEWING ANGLE	WORKING PRESSURE







STANDARD EQUIPMENT

- Fold-out outriggers
- Working pressure 265 bar
- Electric motor operation
- Slewing angle 360°
- Oil cooler

OPTIONAL EQUIPMENT

- Remote control (optional)
- Middle outrigger
- Pulley block

PUMP MACHINE

BP 1620

Submersible pump service crane · 20 m boom



20 m	3+1	16,000 kg	30 HP	360°	265 bar
BOOM LENGTH	HYDRAULIC BOOM	LIFTING CAPACITY	ELECTRIC MOTOR	SLEWING ANGLE	WORKING PRESSURE







STANDARD EQUIPMENT

- Fold-out outriggers
- Working pressure 265 bar
- Electric motor operation
- Slewing angle 360°
- Oil cooler

OPTIONAL EQUIPMENT

- Remote control (optional)
- Middle outrigger
- Pulley block

PUMP MACHINE

BP 2025

Submersible pump service crane · 22 m boom



22 m	3+1	20,000 kg	30 HP	360°	265 bar
BOOM LENGTH	HYDRAULIC BOOM	LIFTING CAPACITY	ELECTRIC MOTOR	SLEWING ANGLE	WORKING PRESSURE







STANDARD EQUIPMENT

- Fold-out outriggers
- Working pressure 265 bar
- Electric motor operation
- Slewing angle 360°
- Oil cooler

OPTIONAL EQUIPMENT

- Remote control (optional)
- Middle outrigger
- Pulley block

EQUIPMENT

STANDARD POWER ON EVERY MODEL

Birpom submersible pump service cranes are designed for safe, fast, single-operator work when pulling and lowering pumps and column pipes from deep wells. The same robust platform on every model is completed with options chosen to suit the job.

STANDARD ON ALL MODELS

- **Fold-out outriggers**
- **Slewing angle 360°**
- **Working pressure 265 bar**
- **Oil cooler**
- **Electric motor operation**

OPTIONAL EQUIPMENT

- Remote control (optional)
- Middle outrigger
- Pulley block
- Fold-out rear outriggers (BP 711 K)

MODELS

BP 711 A
11 m · 2+1 · s. 04

BP 711 K
11 m · 2+1 · s. 05

BP 812 A65
14 m · 2+1 · s. 06

BP 812 K65
14 m · 2+1 · s. 07

BP 812 K58
14 m · 2+1 · s. 08

BP 812 A58
14 m · 2+1 · s. 09

BP 814 A
14 m · 2+1 · s. 10

BP 814 K
14 m · 2+1 · s. 11

BP 1620
20 m · 3+1 · s. 12

BP 2025
22 m · 3+1 · s. 13

IN THE FIELD · DELIVERED MACHINES

TRUST IN THE FIELD, SPEED IN SERVICE.

















CONTACT

CONTACT

HEAD OFFICE
Fevzi Çakmak Mah. No:2 42060
Karatay / KONYA / TÜRKİYE

BRANCH
Fevzi Çakmak Mah. 10758. St. No:3/I
Karatay / KONYA / TÜRKİYE

Mon – Fri · 08:00 – 18:00

+90 332 237 34 72
+90 538 853 15 28 (WhatsApp)
bilgi@birpom.com.tr
www.birpom.com.tr

@birpom.bmach
birpombmach
birpom-bmach
@birpombmach
@birpom.bmach
@birpom.bmach